



Lights your way in the dark

SORI LED LAMP

2021



www.soriled.com

12-9, Bolli-ro 20-gil, Okpo-eup, Dalseong-gun, Daegu, Republic of Korea

TEL : +82-53-615-4400 FAX : +82-53-615-4460

E-mail : soriled@naver.com

www.soriled.com

New Products

SL-57 MARKER LAMP KATRI ●

NEW



- Lens: PMMA
- Housing: ABS
- Size: 262×27×23.5mm
- Voltage: 24V

SL-58 AUXILIARY BRAKING LAMP KATRI ●

NEW



- Lens: PMMA
- Housing: ABS
- Size: 262×27×23.5mm
- Voltage: 12V

SW-R3 WORK LIGHTS

NEW



- Lens: PMMA
- Housing: ABS
- Bulb: 0.5W LED
- Size: Ø104×35mm
- Voltage: 12~32V
- Wattage: 7.5W

SW-R4 WORK LIGHTS


NEW



- Lens: PMMA
- Housing: ABS
- Bulb: 0.5W LED
- Size: Ø88×35mm
- Voltage: 12~32V
- Wattage: 4.5W

SL-55 INNER LAMP


NEW



- Lens: PMMA
- Housing: ABS
- Size: Ø 120mm
- Voltage: 12~32V

SL-59 SENSOR

NEW



- Lens: PMMA
- Housing: ABS
- Size: Ø 120mm
- Voltage: 12~32V

SL-60 INNER LAMP

NEW



- Lens: PMMA
- Housing: ABS
- Size: Ø 120mm
- Voltage: 12~32V / 12V

SL-14 MARKER LAMP KATRI ●●


NEW



- Lens: PC
- Housing: PVC
- Size: 110 × 40 × 149mm
- Voltage: 12 / 24V

SL-16 MARKER LAMP KATRI ●●

NEW



- Lens: PC
- Housing: PVC
- Size: 99 × 51 × 149mm
- Voltage: 24V

New Products

New Products

Work Lights

SL-30



- Lens: PMMA
- Size: Ø 125×65mm
- Housing: Heat-resisting ABS
- Voltage: 12~32V
- Bulb: 0.5W LED
- Wattage: 6W

SL-35 KATRI ●



- Lens: PMMA
- Voltage: 12~32V
- Housing: Heat-resisting ABS
- Color: Yellow, White
- Bulb: 0.5W LED
- Wattage: 4.5W
- Size: Ø 100×65mm

SW-R3



- Lens: PMMA
- Size: Ø 104×35mm
- Housing: ABS
- Voltage: 12~32V
- Bulb: 0.5W LED
- Wattage: 7.5W

SW-R4



- Lens: PMMA
- Size: Ø 88×35mm
- Housing: ABS
- Voltage: 12~32V
- Bulb: 0.5W LED
- Wattage: 4.5W

SW-R1



- Lens: PC
- Size: Ø 113×46mm
- Housing: Aluminium
- Voltage: 12~32V
- Bulb: 3W LED (12PCS)
- Wattage: 30W
- Angle: 10° 45°

SW-R2



- Lens: PC
- Size: Ø 76×30mm
- Housing: Aluminium
- Voltage: 12~32V
- Bulb: 3W LED
- Wattage: 10W

SW-S1



- Lens: PMMA
- Voltage: 12~32V / 24V
- Housing: Heat-resisting ABS
- Color: Yellow, White
- Bulb: 0.5W LED
- Wattage: 6W
- Size: 120×100×42mm

SW-S2



- Lens: PC
- Size: 130×110×64mm
- Housing: Aluminium
- Voltage: 12~32V
- BULB : 3W LED(12PCS)
- Wattage: 30W
- Angle: 25°

Work Lights

Work Lights

Work Lights

SW-S4



- Lens: PC
- Housing: Aluminium
- Bulb: 3W LED(9PCS)
- Angle: 10° 45°
- Size: 102×102×62mm
- Voltage: 12~32V
- Wattage: 20W

SW-S5



- Lens: PC
- Housing: Aluminium
- Bulb: 3W LED
- Size: 122×50×40mm
- Voltage: 12~32V
- Wattage: 8W

SW-S6



- Lens: PC
- Housing: Aluminium
- Bulb: 3W LED
- Size: 72×86×46mm
- Voltage: 12~32V
- Wattage: 10W

SW-S7



- Lens: PC
- Housing: Aluminium
- Bulb: 3W LED
- Size: 113×107×56mm
- Voltage: 10~60V
- Wattage: 15W

SW-H1



- Lens: PMMA
- Housing: Heat-resisting ABS
- Bulb: 0.5W LED
- Size: 245×62×53mm

Work Lights

Work Lights

Rear-Combi Lights

SL-42 E9 ●●●



- Lens: PMMA
- Housing: ABS
- Size: Ø 109×35mm
- Voltage: 12V/24V

SL-50 KATRI ●●●



- Lens: PMMA
- Housing: ABS
- Size: Ø 143×40mm
- Voltage: 12V/24V

SL-09 E9 ●●●



- Lens: PMMA
- Housing: ABS
- Size: Ø 109×30mm
- Voltage: 12/24V

SL-43 KATRI ●●●



- Lens: PMMA
- Housing: ABS
- Size: Ø 109×35mm
- Voltage: 12V/24V

SL-47 KATRI ●●●



- Lens: PMMA
- Housing: ABS
- Size: 360×30.5×20.5mm
- Voltage: 12V/24V

SR-01



- Lens: PMMA
- Housing: ABS
- Size: 375×130×45mm
- Voltage: 12V

SR-02 E9 ●●●



- Lens: PC
- Housing: ABS
- Size: 476×150×70mm
- Voltage: 24V

Marker Lights

SL-03 KATRI ●●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: \varnothing 80×60mm
- Voltage: 12/24V
- Color: Red, Yellow, Green, Blue

SL-04



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 110×52×60mm
- Voltage: 12/24V
- Color: Red, Yellow, Green, Blue, White

SL-05 E9 ●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 67×27×18mm
- Voltage: 12/24V
- Color: Red, Yellow, Green, Blue, White

SL-06 E9 ●● KATRI ●●



- Lens: PC
- Bulb: LED
- Size: 173×35×20mm
- Voltage: 12/24V

SL-07 E9 ●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 205×70×27mm
- Voltage: 12/24V

SL-07W KATRI ●●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 270×70×27mm
- Voltage: 12/24V

SL-08



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 200×90×50mm
- Voltage: 12/24V
- Color: Red, Yellow

SL-10 E9 ●●



- Lens: PMMA
- Housing: PVC
- Bulb: LED
- Size: 100×75×150mm
- Voltage: 12/24V
- Color: Red, Yellow, Blue, White

SL-10S E9 ●●



- Lens: PMMA
- Housing: PVC
- Bulb: LED
- Size: 95×75×70mm
- Voltage: 12/24V
- Color: Red, Yellow, Blue, White

Marker Lights

Marker Lights

Marker Lights

SL-11 E9 ●●



- Lens: PMMA
- Housing: PVC
- Bulb: LED
- Size: 100×75×150mm
- Voltage: 12/24V
- Color: Red, Yellow, Blue, White

SL-12 E9 ●●●



- Lens: PMMA
- Housing: ABS
- Size: 125×40×17.5mm
- Voltage: 12V/24V

SL-20 E9 ●●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 95×60×35mm
- Voltage: 12/24V
- Color: Red, Yellow, Blue, White

SL-21 E9 ●●



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 95×60×14mm
- Voltage: 12/24V
- Color: Red, Yellow, Blue, White

SL-14 KATRI ●●



- Lens: PC
- Housing: PVC
- Size: 110 × 40 × 149mm
- Voltage: 12 / 24V

SL-16 KATRI ●●



- Lens: PC
- Housing: PVC
- Size: 99 × 51 × 149mm
- Voltage: 24V

SL-25 E9 ●●●



- Lens: PC
- Housing: ABS
- Bulb: LED
- Size: 100×50×25mm
- Voltage: 12/24V
- Color: Red, Yellow

SL-36



- Lens: PC
- Housing: ABS
- Size: 130×36×26mm
- Voltage: 12V/24V

SL-37 KATRI ●●●




- Lens: PMMA
- Housing: ABS
- Size: 206×87×30mm
- Voltage: 12V/24V

Marker Lights

Marker Lights

Marker Lights

SL-38 KATRI ●●



- Lens: PC
- Housing: ABS
- Size: 173×35×20mm
- Voltage: 12V/24V

SL-44 KATRI ●●●



- Lens: PMMA
- Housing: ABS
- Size: 106×46×7.5mm
- Voltage: 12V/24V

SL-45 KATRI ●●



- Lens: PMMA
- Housing: ABS
- Size: 174×35×19mm
- Voltage: 12V/24V

SL-46 KATRI ●●



- Lens: PMMA
- Housing: ABS
- Size: 360×30.5×20.5mm
- Voltage: 12V/24V

SL-52 KATRI ●●



- Lens: PMMA
- Housing: ABS
- Size: 168×62×23mm
- Voltage: 12V/24V

SL-53 KATRI ●●




- Lens: PMMA
- Housing: ABS
- Size: 168×62×23mm
- Voltage: 12V/24V

NEW **SL-54** KATRI ●●●



- Lens: PC
- Housing: ABS
- Size: 153×50×15mm
- Voltage: 12V/24V

NEW **SL-57** KATRI ●




- Lens: PMMA
- Housing: ABS
- Size: 262×27×23.5mm
- Voltage: 24V

Marker Lights

Marker Lights

Inner Lights

SW-3



- Housing: ABS
- Size: \varnothing 96mm

SW-4 WATER PROOF




- Housing: ABS
- Size: \varnothing 102mm

SL-22 12LED



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: \varnothing 160mm
- Voltage: 12/24V

SL-39



- Lens: PMMA
- Housing: ABS
- Size: \varnothing 120mm
- Voltage: 12~32V

NEW
SL-49




- Lens: PMMA
- Housing: ABS
- Size: \varnothing 120mm
- Voltage: 12~32V

NEW
SL-55




- Lens: PMMA
- Housing: ABS
- Size: \varnothing 120mm
- Voltage: 12~32V

SL-23N 18LED



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 245 x 170mm
- Voltage: 12~32V

SL-23W 18LED



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 245 x 170mm
- Voltage: 12~32V / 24V

SL-26 4LED



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: \varnothing 120mm
- Voltage: 12~32V

NEW
SL-59 SENSOR



- Lens: PMMA
- Housing: ABS
- Size: \varnothing 120mm
- Voltage: 12~32V

NEW
SL-60



- Lens: PMMA
- Housing: ABS
- Size: \varnothing 120mm
- Voltage: 12~32V / 12V

Rear Center Brake Lamp

SL-06 KATRI ●	
	<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Size: 173×35×20mm • Voltage: 12/24V
SL-48 KATRI ●	SL-51 KATRI ●
	
<ul style="list-style-type: none"> • Lens: PMMA • Housing: ABS • Size: 360×30.5×20.5mm • Voltage: 12V / 24V 	<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Size: 263.5×27.5×23mm • Voltage: 12~32V / 12V
SL-56 KATRI ●	SL-58 AUXILIARY BRAKING LAMP KATRI ●
	
<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Size: 263.5×27.5×23mm • Voltage: 12~32V 	<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Size: 263.5×27.5×23mm • Voltage: 12V

Emergency/BEACON Lights

SL-SF1 SAFE	SL-SF2	SW-S5
		
BUZZER TYPE		
<ul style="list-style-type: none"> • Lens: PMMA • Housing: ABS • Bulb: LED • Size: Ø 87×80mm • Voltage: DC 3V 	<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Bulb: LED • Size: Ø 125×125mm • Voltage: 12~32V • Color: Red, Yellow, Blue, White 	<ul style="list-style-type: none"> • Lens: PC • Housing: Aluminium • Size: 122×50×40mm • Voltage: 12~32V
SL-SF3/SF5 (ROTARY TYPE)	SL-SF4/SF6 (ROTARY TYPE) E9 ●	
		
SL-SF5 (ROTARY TYPE)	SL-SF6 (ROTARY TYPE)	
<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Bulb: LED • Size: Ø 76×124mm • Voltage: 12~32V • Color: Red, Yellow, White 	<ul style="list-style-type: none"> • Lens: PC • Housing: ABS • Bulb: LED • Size: Ø 125×125mm • Voltage: 12~32V • Color: Red, Yellow, Blue, White 	

Emergency/BEACON Lights

SL-SF7 GENERAL-TYPE / HIGH-END TYPE



(HIGH-END TYPE)

- Voltage: 12~32V
- Color: Yellow → Yellow LED + Transparent lens
→ White LED + Yellow Lens
- Size: 1,048×42×62mm
- general-type : 6 patterns rolling
- High-end type : Power, pattern speed, single pattern, rolling operation available in the Control Box

Auxiliary Lights & Other Accessories

SL-01



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: Ø 80×60mm
- Voltage: 12/24V
- Color: Red/Blue, Red/Green

SL-02



- Lens: PMMA
- Housing: ABS
- Bulb: LED
- Size: 110×52×60mm
- Voltage: 12/24V
- Color: Red/Blue, Red/Green

SL-BAR



• Length : 50cm, 1M, 1.5M

SL-LS01 LED LICENSE PLATE LIGHT



SL-29



- Lens: PMMA
- Size: 100×30×10mm
- Housing: ABS
- Voltage: 12/24V
- Bulb: LED
- Color: Red, Yellow, Blue, Green, White

SL-31



- Lens: PMMA
- Size: Ø 65×10mm
- Housing: ABS
- Voltage: 12/24V
- Bulb: LED
- Color: Red, Yellow, Blue, Green, White

SL-TR01 RETRO REFLECTOR E9



- Lens: PMMA
- Housing: ABS
- Size: 165×140×10mm

Auxiliary Lights & Other Accessories

SL-3731



- Housing: Aluminium
- Size: 95×66×99mm

SL-1185



- Housing: Aluminium
- Size: 95×66×99mm

MATCH-RES 02



- Housing: Aluminium
- Wattage: 50W
- Size: 100×40×21mm
- Load Matching: Turn Signal Lights

MATCH-RES 04




- Housing: Aluminium
- Wattage: 200W
- Size: 165×60×30mm
- Load Matching: Tail & Signal Light

MATCH-RES 06



- Housing: Aluminium
- Wattage: 300W
- Size: 165×60×30mm
- Load Matching: Tail & Signal & Brake & Backup Lights

TOP COVER



Wiring



- 트레일러 메인배선 주문제작
- 현대 엑시언트 1톤 / 3.5톤 / 5톤 / 11톤
- 대우 프리마 3.5톤 / 4톤 / 5톤 / 11톤
- 현대 파비스 5톤 / 11톤
- 파비스 감지센서 연결배선
- 파비스 후방카메라 연결배선
- 타이코 7핀 연결배선 (수입 데루등 연장배선)
- 현대 엑시언트 후방 카메라 배선

- 대우 후방 카메라 배선
- 현대 데루등 연장선
- 현대 넘버등 배선
- 대우 메인 연장선
- 대우 넘버등 배선
- 봉고3, 포터2 넘버등 배선
- 봉고3, 포터2 데루등 연장선

